

Spectralab

Research Testing Training

| GROUND WATER SAMPLE SUBMISSION FORM | | REF: SAS-CoC-004 |
|--|---------------------|------------------|
| Client (Contractor submitting sample): | Sample type: | |
| | Date of sampling: | |
| | Sample Volume | |
| Tel: | Date Received @ lab | |
| Email: | Date Released | |

Test parameters for ground Water

| Test Parameters to be tested. (Place an "X" in the columns for tests needed on each sample.) | | Full chemical analysis (FCA) (see below No. 1) | Aluminium | Selenium | Barium | Zinc | Copper | Arsenic | Mercury | Carbonates | Bicarbonates | Silica | Boron | Silica (SiO2) | Full Microbial (see below No. 3) | Basic Microbial (See below No. 2) | Aluminium |
|--|--------------------|--|-----------|----------|--------|------|--------|---------|---------|------------|--------------|--------|-------|---------------|----------------------------------|-----------------------------------|-----------|
| S/No. | Sample Description | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| 1 | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | |

Additional sample Information

1. Full chemical analysis for ground water (FCA) includes: pH, colour, Turbidity, Permanganate Value, Conductivity, Iron, Manganese, Sodium, Calcium, Magnesium, Potassium, Total Hardness, Total alkalinity, Chloride, Fluoride, Nitrate, Nitrite, Ammonia, Total Nitrogen, Sulphates, Orthophosphates, TSS, Free Carbon Dioxide, Total dissolved solids, Dissolved Oxygen.

2. Basic Microbial includes: Total coliforms and E.coli

3. Full Microbial includes: Standard Plate count, Coliforms, E.coli, Staphylococcus aureus, Sulphide reducing anaerobes, Pseudomonas aeruginosa, Streptococcus faecalis, Shigella and salmonella all in 250ml

TERMS AND CONDITIONS

- All samples are accepted when accompanied by a filled form, letter or email giving instructions to the laboratory
- All samples are accepted with full Payment. All Rush/Priority analysis shall be surcharged
- Turn around time 2-3 days Bacteriological samples may take longer. Lab is open Mon. to Fri. 8.00 AM -500 PM & Sat. 8.00 AM to 1.00 PM

Client Sign: _____ Date: _____ CoC Officer: _____ Date: _____

Contact us: lab@spectralab.co.ke. Tel: 020-6551177, 020-2408111, 0775-502222

Mobile: 0774-088111. ABC bank building, 1st and 2nd floor. Dar es salaam rd, Industrial area